CATEYE®

CATEYE STEALTH evo

CC-GL11

Quick Start

START

Click the button and follow the instructions.

Thank you for purchasing our cyclocomputer CATEYE STEALTH evo.

This Quick Start Manual explains how to set up the STEALTH evo and how to install the unit on your bicycle.
Please set up the unit according to the specified procedure, then it will be ready for use as a cyclocomputer.

Before use, read the instruction manual that comes with the product thoroughly to the end to understand the functions of this unit, and to use it safely in a correct manner.

Next

This PDF contains a movie file.
When you click on the movie screen, a message regarding security appears. Click the "**Trust in the text**" or "**Play**" button to close the message.
Click the screen again to play the movie.

Next

CATEYE STEALTHevo
Quick Start Manual

Return to a Cover

Contents

Click on the item to view.

Setting up the STEALTH evo

How to install the bracket (movie format)

Perform measurement

Set up the STEALTH evo from a PC

Operation of buttons

Set up the STEALTH evo by operating the buttons as follows.
Check the button position before you start setting up.

Next

Power ON
Formatting operation
Setting the speed unit
Setting the time zone
Setting the daylight saving time
Setting the clock display format
GPS search screen
(Setup completed)

Power ON

Pressing and holding the ⏻ button on the back of the STEALTH evo for 2 seconds turns on the power, and the screen lights up.

Power ON

(Press and hold)

Power ON
Formatting operation
Setting the speed unit
Setting the time zone
Setting the daylight saving time
Setting the clock display format
GPS search screen
(Setup completed)

All screen items light up

Formatting operation

Press the **MENU** button on the back of the STEALTH evo and the **AC** button simultaneously.

After all screen items light up, the display will be changed to the speed unit setting screen, and setup will start.

* Press and hold the **MENU** button for 3 seconds after releasing the **AC** button.

Formatting operation

Power ON
Formatting operation
Setting the speed unit
Setting the time zone
Setting the daylight saving time
Setting the clock display format
GPS search screen
(Setup completed)

Setting the speed unit

Setting the speed unit

When the **MODE** button is pressed, either "**km/h**" or "**m/h (mile)**" is selected for the speed unit display. Select the display of your choice.

Press the **MENU** button to go to the next step "Selecting the time zone".

km/h ↔ **m/h** (mph)

To the next step

- Power ON
- Formatting operation
- Setting the speed unit
- Setting the time zone
- Setting the daylight saving time
- Setting the clock display format
- GPS search screen (Setup completed)

Setting the time zone

Setting the time zone

Select the code for the city nearest from your current location, while viewing the “Time zone list”.

When the **MODE** button is pressed, the city code changes. After selecting the appropriate city code, press and hold the **MODE** button to go to the next step “Setting the daylight saving time”.

Time zone list

Change city code

MODE

To the next step

MODE

(Press and hold)

Return

Next

Power ON
Formatting operation
Setting the speed unit
Setting the time zone
Setting the daylight saving time
Setting the clock display format
GPS search screen
(Setup completed)

Setting the daylight saving time

Setting the daylight saving time

Change **ON/OFF** according to the period of daylight saving time, when you are on Daylight Saving Time.

Press and hold the **MODE** button to go to the next step "Setting the clock display format".

OFF ↔ ON

MODE

To the next step

MODE

(Press and hold)

Power ON
Formatting operation
Setting the speed unit
Setting the time zone
Setting the daylight saving time
Setting the clock display format
GPS search screen
(Setup completed)

Setting the clock display format

Setting the clock display format

When the **MODE** button is pressed, either "**12h**" or "**24h**" is selected for the clock display format. Select the display format of your choice.

* Date and clock are acquired from GPS signal; therefore, it is not necessary to enter them.

Press the **MENU** button to change to the GPS search screen.

12h ↔ 24h

Setting completed
To the GPS search screen

Return

Next

Power ON

Formatting operation

Setting the speed unit

Setting the time zone

Setting the daylight saving time

Setting the clock display format

GPS search screen
(Setup completed)

GPS search screen

Now, setup of the STEALTH evo is completed.

When the bracket is not attached to your bicycle, return to Contents, click on “How to install the bracket (movie formant)”, and then attach it according to the instructions.

Receiving the GPS signal or pressing the **MODE** button changes to the measurement screen.

Time zone list

City code	City name	Time difference
LON	London	0
PAR	Paris	+1
ATH	Athens	+2
MOW	Moscow	+3
THR	Tehran	+3.5
DXB	Dubai	+4
KBL	Kabul	+4.5
KHI	Karachi	+5
DEL	Delhi	+5.5
DAC	Dhaka	+6
RGN	Yangon	+6.5
BKK	Bangkok	+7
HKG	Hong Kong	+8
TYO	Tokyo	+9
DRW	Darwin	+9.5
SYD	Sydney	+10
NOU	Noumea	+11
WLG	Wellington	+12
PPG	Pago Pago	-11
HNL	Honolulu	-10
ANC	Anchorage	-9
LAX	Los Angeles	-8
DEN	Denver	-7
CHI	Chicago	-6
NYC	New York	-5
CCS	Caracas	-4
RIO	Rio de Janeiro	-3

Return

Return to Contents

Perform measurement

Start measurement

Important:
Measurements cannot be made in locations where a GPS signal cannot be received.

1. Turn on the power by pressing and holding the ⏻ button. The GPS search screen is displayed.
   When a GPS signal is received or when the **MODE** button is pressed, the STEALTH evo switches to the measurement screen.
2. Check that is displayed on the measurement screen, and press the ⏻ button.
   STOP changes to **GO**, and measurement starts.
   During measurement, measurement starts and stops automatically in sync with the movement of the bicycle.
3. If the ⏻ button is pressed during measurement, **STOP** is displayed on the screen and measurement is paused.
   * To resume measurement press the button again.

Stop measurement

Return to Contents

Perform measurement

Start measurement

1. To stop measurement, reset measurement data by pressing and holding **MODE**.
   All data measured up to the current point in time is created as trip data.
   * For information about uploading trip data, return to the Contents page and watch the movie about uploading trips.

2. Turn off the power by pressing and holding the ⏻ button for 2 seconds.

Stop measurement

Resetting operation

MODE
(Press & hold)

Power off

(Press & hold)

Return to Contents

How to install the bracket

What is CATEYE Sync™

CATEYE Sync™ is PC software that acts as an interfaces between the STEALTH evo, your PC, and the website. It can be used to:

- download ride data recorded with the STEALTH evo to PC and upload it to a website, and
- configure the STEALTH evo from a PC.

What is CATEYE Atlas™

CATEYE Atlas™ is a website where you can view trips recorded with a STEALTH evo or INOU.

- The trip (measurement data) loaded using CATEYE Sync™ can be viewed on a map and a graph.
- By storing trips, you can use CATEYE Atlas™ as a database of your cycling life.
- You can share your trips with your friends or the public.

* The screen and the functions for CATEYE Sync™ and CATEYE Atlas™ are subject to change.

Next

Click on the item to view.

Before use : Setting up your PC

Uploading the trip (movie format)

View and edit the trip (movie format)

Changing settings of the STEALTH evo (movie format)

Membership registration to CATEYE Atlas™(1/3)
Installing CATEYE Sync™
Setting CATEYE Sync™

Membership registration to CATEYE Atlas™(1/3)

Start the browser to access to CATEYE Atlas™

- **When you do not have an account:**
  Click on FREE Create account
- **When you have an account:**
  Membership registration is not required. Go to the next step "Installing CATEYE Sync™".

* You can use the same account when using CATEYE INOU and having registered membership.

When you do not have an account:

Return

When you have an account:

Membership registration to CATEYE Atlas™(2/3) | Installing CATEYE Sync™ | Setting CATEYE Sync™

Membership registration to CATEYE Atlas™ (2/3)

1. Confirm the Terms of Service, and then click on **Go to confirmation screen**.
2. Enter your e-mail address, and then click on **[Submit]**.

3. Open the e-mail arrived, and then click on the URL to enter the registration form.

Return | Next

Membership registration to CATEYE Atlas™ (3/3)

4 Enter the required information, and then click on **Go to confirmation screen** .

* Be sure to enter the required items.

5 Confirm the registration, and then click on **Create my account** .

Now, your membership registration is completed.

After your membership registration is completed, go to the next step “Installing CATEYE Sync™”.

Return | Next

Membership registration to **CATEYE Atlas™**

Installing **CATEYE Sync™ (1/2)**

Setting **CATEYE Sync™**

Installing CATEYE Sync™ (1/2)

1. Click on the banner of CATEYE Sync™ from the top page of CATEYE Atlas™.

The download page will open.

Return

Next

Membership registration to **CATEYE Atlas™**

Installing **CATEYE Sync™ (2/2)**

Setting **CATEYE Sync™**

Installing CATEYE Sync™ (2/2)

2. Click the **[Download]** button for Windows version or Mac version according to your PC (OS).

   for Windows Download or for Mac Download

   CATEYE Sync™ will start being downloaded.

3. Double-click on the execution file downloaded. Install CATEYE Sync™ according to the instruction displayed on the screen.

   After CATEYE Sync™ is installed, go to the next step "Setting CATEYE Sync™".

Return

Next

Membership registration to **CATEYE Atlas™**

Installing **CATEYE Sync™**

Setting **CATEYE Sync™ (1/2)**

1 CATEYE Sync™ icon

2 Starting CATEYE Sync™

Setting CATEYE Sync™(1/2)

1. Start CATEYE Sync™.
   Double-click the shortcut **[CATEYE Sync™]** to start CATEYE Sync™.
2. Click on **[Q series / STEALTH]** .
   The menu screen appears.

Return

Next

Membership registration to CATEYE Atlas™

Installing CATEYE Sync™

Setting CATEYE Sync™ (2/2)

Setting CATEYE Sync™(2/2)

3 Click on **[Settings]**.
The setting screen appears.

4 Click on **[Account Setting]** and enter your e-mail address and password.
Enter correctly the registered e-mail address and password.

5 Click on **[Apply]**.
Login setting of CATEYE Sync™ is completed.

Now, setup of your PC is completed.

Return to the contents of CATEYE Sync™/Atlas™ and see “Uploading, editing and sharing the trip” and “Changing settings of the STEALTH evo”.

Return

Return to Contents

Uploading the trip
Click on the screen to play the movie.

Return to Contents

View and edit the trip

* The site screen in the video is showing a trip recorded with the Stealth 50 for an example.

Changing the
STEALTH series settings
Click on the screen to play the movie.